


MK-002 ELIN



MK-002 ELIN



MK-002 ELIN



MK-002 ELIN

TLOCRT



TERASA



MK-002 ELIN antracit




MK-002 ELIN antracit



Konstruktivni sklop kuće

pod (opis 1)

- ▶ • KWH Grede 80 x 160 mm (poprečni konstruktivni nosac)
- ▶ • OSB ploča 22 mm I OSB ploča 9mm
- ▶ • Izolacija podnog panela kamena vuna 150 mm
- ▶ • Zaštitna folija
- ▶ • Podna obloga – laminat ili vinil po izboru kupca



Konstruktivni sklop kuće

vanjski zidovi (opis 2)

- Gips kartonska ploča 12,50 mm
- Paro propusna folija
- OSB ploča 12,50 mm
- Drveni profil 60/100 mm
- Kamena vuna 100 mm
- OSB ploča 12,50 mm
- EPS 30 mm
- Akrilna fasada i HPL ploče



pregradni zid (opis 3)

- Gips-kartonska ploča 12,5 mm
- profil 75,00 mm I 50,00mm ovisno o poziciji uprostoriji
- Kamena vuna 50 mm
- Gips-kartonska ploča 12,5 mm

konstruktivni sklop terase

- površina terase 8x3m
- KVH grede 10x10 i 6x10cm
- Podna obloga
- Mogunost izbora boje terase tj. drvenih obloga.

krovni segment (opis 4)

- Gips-kartonska ploča 12,5 mm
- Podkonstrukcija
- PVC folija- Parna brana
- Kamena vuna 100 mm
- Drvena stropna podkonstrukcija
- OSB ploča 10 mm
- Letva / kontra letva 30 x 50 mm
- Krovna folija
- Pocinčani trapezni lim sa vjeter lajsnama, horizontalnim i vertikalnim olucima



SKELET DOM d.o.o.-izrada nikoenergetskih montaznih
objekata

52100 Pula, Bartolomeo dei Vitrei 14

TEL: +385 95 817 8753, +385 99 639 6232

email: skeletdom@gmail.com

SKELETDOM